VFC PROVIDER WEBCAST

New ACIP Recommendations

New Tdap Recommendations

- Children aged 7-10 years of age who have not been adequately vaccinated with DTP/DTaP should receive a single dose of Tdap
- Adults aged 19-64 should receive a single dose of Tdap in place of a Td dose
- Adults aged 65 and older who have or who anticipate having close contact with an infant aged less than 12 months should receive a single dose of Tdap to protect against pertussis



Morbidity and Mortality Weekly Report

Weekly / Vol. 60 / No. 1

January 14, 2011

Morbidity and Mortality Weekly Report

Updated Recommendations for Use of Tetanus Toxoid, Reduced Diphtheria Toxoid and Acellular Pertussis (Tdap) Vaccine from the Advisory Committee on Immunization Practices, 2010

Despite sustained high coverage for childhood pertussis vaccination, pertussis remains poorly controlled in the United States. A total of 16,858 pertussis cases and 12 infant deaths were reported in 2009 (1; CDC, unpublished data, 2009). Although 2005 recommendations by the Advisory Committee on Immunization Practices (ACIP) called for vaccination with tetanus toxoid, reduced diphtheria toxoid and acellular pertussis (Tdap) for adolescents and adults to improve immunity

the United States, the additional recommendations are made to facilitate use of Tdap to reduce the burden of disease and risk for transmission to infants (Box).

Timing of Tdap Following Td

Safety. When Tdap was licensed in 2005, the safety of administering a booster dose of Tdap at intervals <5 years after Td or pediatric DTP/DTaP had not been studied in adults.

http://www.cdc.gov/mmwr/preview/mmwrhtml/mm6001a4.htm?s cid= mm6001a4 e%0d%0a

MMWR Weekly, Volume 60, No. 1 – Published January 14, 2011

The new Tdap recommendations, voted at the October 2010 ACIP meeting, have been published in the Morbidity and Mortality Weekly Report, which makes them official

Timing of Tdap Following Td

- Guidance for Use:
 - ACIP recommends that pertussis vaccination, when indicated, should not be delayed and that Tdap should be administered regardless of interval since the last tetanus or diphtheria toxoid-containing vaccine.
 - ACIP concluded that while longer intervals between Td and Tdap vaccination could decrease the occurrence of local reactions, the benefits of protection against pertussis outweigh the potential risk for adverse events.

Use of Td Booster

- Currently, Tdap is recommended only for a single dose across all age groups.
- Further guidance will be forthcoming on timing of revaccination in persons who have received Tdap previously.

Policy Review & Update

Understanding Vaccine Funding

- Publicly Funded Vaccine
 - Vaccines For Children (VFC)
 - Federally funded, based on population
 - **317**
 - Federally funded, not based on population
 - State
 - State revenue from tobacco tax, not based on population
- Privately Purchased Vaccine

DOA Clarification

- □ VacZine, Volume 3, Issue 1.1
 - January 7, 2011
- Only an RHC or FQHC can sign a Delegation of Authority for other VFC providers
- LHDs who have a DOA can not delegate that authority to other providers

VFC Eligibility Update

Screening for Eligibility

- Screening for eligibility is required
- Publicly funded vaccine should only be used for those who are eligible on the matrix
- This includes school required vaccinations

Vaccine Availability

Limited Vaccine Availability

- Twinrix
 - We are no longer supplying Twinrix (Hep B/Hep A) vaccine to providers.
 - Only single antigen Hep B and Hep A will be available to eligible patients at approved provider sites.
- - Current supply of DT at McKesson will expire February 4, 2011. No additional orders can be processed until our supply is replenished.

Limited Vaccine Availability

- - Providers should limit the amount of Td vaccine in inventory and use Td <u>ONLY</u> to finish incomplete series or as booster doses.
- Pneumovax 23
 - We often hear from providers that they have mistakenly ordered this instead of Prenvar 13. Unfortunately, this is a vaccine that is not used on a regular basis and is difficult to find providers to transfer these doses to.

VFC Orders

000000

VACCINE ORDER

Indiana State Department of Health, Immunization Program

INSTRUCTIONS: 1. Complete the columns. S 2. Sign and date the form at	Ordering Frequency Once per month		
Facility Name	INDIANA STATE DEPT OF HEALTH	Telephone	(317) 233-8460
Shipping Contact Name	JILL KING	Fax	(317) 972-0111
Vaccine Delivery Address	2 N. MERIDIAN 6a-22	Email	
City, ZIP Code	INDIANAPOLIS, IN 46204	Vaccine Delivery	M. T. W. TILL E. MTAGUE O. TO 2
County	MARION	Days/Times	M, T, W, TH, F; MTWTHF 9 TO 3


Vaccine	Brand Name	Packaging	NDC Number	Doses Requested (Min. 10 doses)	Doses In Stock	Doses Administered	Doses Wasted/Returned
DTaP	Tripedia® ★	10pk, 1 dose vials	49281-0298-10				
	Daptacel®	10pk, 1 dose vials	49281-0286-10				
	Infanrix®	10pk, 1 dose vials	58160-0810-11				
	Infanrix®	10pk, 1 dose syringes	58160-0810-51				
DTaP/IPV	Kinrix®	10pk, 1 dose vials	58160-0812-11				
	Kinrix®	5pk, 1 dose syringes	58160-0812-46				
DTaP/IPV-Hep B	Pediarix®	5pk, 1 dose syringes	58160-0811-46				
DTaP/IPV-Hib	Pentacel®	5pk, 1 dose vials	49281-0510-05				
e-IPV	IPOL®	1pk, 10 dose vial	49281-0860-10				
НерА	Vaqta®	10pk, 1 dose vial	00006-4831-41				
	Havrix®	10pk, 1 dose vials	58160-0825-11				
	Havrix®	10pk, 1 dose syringes	58160-0825-52				

New! VFC Vaccine Order Form

New order forms will be mailed in the next couple weeks to all VFC providers that completed the 2010 Provider Enrollment process. Watch for your updated order form and other program documents in the mail

Beginning again in January 2011, we will process ONLY ONE ORDER PER MONTH

Any additional orders will be held until the next month



Check VFC Vaccine Order Status on SharePoint

You can routinely check the status of your vaccine orders at our SharePoint site. All doses ordered and shipped are posted under your VFC PIN # at:

https://myshare.in.gov/ISDH/LHDResource/immunizations/Lists/VFC%20Vaccine%20Orders/500Page.aspx?Paged=TRUE&p GroupCol1=JL3621&View=%7b66F49CDF%2d8BBE%2d427C%2d8E53%2d6ACD9D643103%7d&PageFirstRow=501

Shipping Days/Times

- If you have changed your clinic hours or have a regularly set lunch hour, please notify us so that we can update you shipping information.
- We are getting many deliveries returned due to unsuccessful delivery attempts within the provider-stated hours.

Contact Information

Jill King, Vaccine ManagerImmunization Division

<u>jiking@isdh.in.gov</u>

317-233-8460 - Office

317-416-2351 - Blackberry

800-701-0704